



Setup up for your iKeyboard 3S(PDIII) controller section



Preferences

General Audio **Controllers** Plug-In management Cache

Detect available controllers

Add controller manually ▶

Mackie MCU PRO



7

MIDIIN2 (iKeyboard3S(PDIII)V2.03)

MIDIOUT2 (iKeyboard3S(PDIII)V2.03)




8

- None
- Microsoft GS Wavetable Synth
- Automap MIDI
- Automap Propellerhead
- Automap HUI
- iKeyboard3S(PDIII) V2.03

Ok

9

Setup for your iKeyboard 3S(PDIII) Keyswitch instrument input section



Preferences

General Displays Audio **Controllers** Plug-in management Shortcuts

Detect available controllers

Add controller manually ▶

Mackie MCU PRO



MIDIIN2 (iKeyboard3S(PDIII)V2.0)

MIDIOUT2 (iKeyboard3S(PDIII)V2)

Generic MIDI Keyboard



iKeyboard3S(PDIII) V2.03

7

8

Ok

File Edit View Create Options Help

Bitwig Studio - New 1

DSP 110.00 1.1.1.00
I/O 4/4 00:00:00.00

9

Inst 1

Audio 2

S1 Effect

Master

No event selected

INST 1

10

Browser - Configuration

Packages
Bitwig native content.
Open Package Manager

My Library
Location where your own content gets saved to by default.
C:\Users\user\Do...ig Studio\Library ...

Sound Content Locations
Locations for your own and third-party sound content.
Add Location

Music Locations
Locations used by the music tab.
Add Location

Plug-in Locations
Locations to plug-ins.
Add Location

